


DESKTOP LARGE FORMAT PRINTER

Compact & Versatile






















































Max. Print Width

Roll Paper & Cut Sheet Support

Compact Width

280 ml (4 x 70 ml) **Bundled Ink**

High durability* against water

Free Poster **Creation Software**

The brand-new Canon imagePROGRAF TC series provides unparalleled versatility in creating high-quality CAD drawings, posters and large prints. Compact and easy to operate, experience greater productivity that boosts your workflow even in small workplaces with the ability to print from A4 to A1 sizes.

COMPACT EFFICIENCY WITH EXCELLENT PRINT QUALITY

The brand-new TC series leads the industry in terms of its small footprint by being only 24 inches in width. The all-colour pigment and vivid red colour create stunning printouts that impress, and its ease of operation boosts efficiency and productivity.

COMPACT WIDTH

The 24-inch width helps the TC series to easily fit into shelves, or be placed on desks within small offices while allowing for an optional printer stand and desktop basket.







HIGH IMAGE QUALITY

The TC series features all-colour pigment ink printing and delivers vivid colour expression in posters and flyers, especially in red. Printouts that are created do not smudge easily from water spills & highlighter marks, ensuring that they remain legible.


Vivid Red



Printed with conventional colour

Printed with Vivid Red colour

Effects of water spills* on prints



Printed with TC-20

*Water droplets on the drawing 24 hours after it was printed on plain paper "Red Label 75gsm"

AUTOMATIC SWITCHING ROLL PAPER / CUT SHEET

The TC series supports output prints of up to A1-sized/ 24-inch width roll paper alongside the easy loading of cut sheet media, while the Auto Sheet Feeder can cater for 100 A4 or 50 A3 sheets.





Cut Sheet

BUNDLED INK BOTTLES

The TC series comes with large bundled ink bottles with a total capacity of 280 ml (4 colours x 70 ml), instantly catering for any print needs.



BUNDLED APPLICATIONS

The TC series comes bundled with Canon software and applications designed to streamline any workflow.



Canon's PosterArtist (Web Version) software provides an easy way to create and print visually impressive poster designs.

Try for free at https://posterartist.canon





PIXMA Cloud Link


PIXMA Cloud Link enables you to store important documents and files in the cloud whereby you can access & print them with TC series remotely.

ENVIRONMENTALLY FRIENDLY

TC-20 consumes approximately 50%** less standby power when compared with Canon's TA series. It is registered as a gold^{^^} product under U.S. "EPEAT[^]" environmental assessment system.

- established by GEC (the Green Electronics Council)
- ^^ See http://www.epeat.net for registration status by country

INDUSTRIES & APPLICATIONS



SPECIFICATIONS

Number of Nozzles Max. Print Resolution Max. Print Resolution 1,200 dpi x 2 Line Accuracy¹ Line Accuracy¹ Line Accuracy¹ Ink Bottle Size Sales Ink Bundle Starter Ink Management Solutions Standard Standard	PRINTER		TC-20
Number of Nozzles Max. Print Resolution Nozzle Pitch Line Accuracy¹ Line Accuracy¹ Sales Ink Bundle Starter Ink Bundle Starter Ink Print Languages Canon PRINT Inkje/SEL PHY (IOS/Android), Free Layout Plus, Postser/Artist Web, Direct Print Plus, PRUS/PIMA Cloud Link Management Solutions Standard Standard Standard Media Configuration Tool, Quick Utility Toolbox, Wi-Fi Connection Assistant, Printer Update Utility Network Standard Hi-Speed USB, Full Speed (12 Milytex), Hi-Speed (480 Mbit/sex), Bulk Transfer, Series B (4 pins) Interface (Built-in) Wireless LAN Wireless LAN Wireless LAN Wireless LAN Wireless LAN Place visit https:// "IEEE 802.3 10 bas-4 T. IEEE 802.3 10 bas-4 T. IEEE 802.3 10 bas-6 T. IEEE 802.3	Printer Type		
Nozzie Pitch	Number of Nozzles		
Line Accuracy	Max. Print Resolution		2,400 x 1,200 dpi
Ink Bottle Size	Nozzle Pitch		1,200 dpi x 2
Ink Bottle Size	Line Accuracy ¹		± 0.1% or less
Bundle Starter Ink		Sales Ink	70 ml x 4 (BK / C / M / Y)
Print Languages SG Raster Canon PRINT Inkjet/SELPHY (iOS/Android), Canon Print Privacy (Android), Pree Layout Plus, PosterArtist Web, Direct Print Plus, PRUS/PriNtA Cloud Link Media Configuration Tool, Quick Utility Toolbox, Wi-Fi Connection Assistant, Printer Update Utility Hi-Speed USB, Full Speed (12 Mbit/sec), Hi-Speed (480 Mbit/sec), Bulk Transfer, Series B (4 pins) Network IEEE 802.3 10pase-1, IEEE 802.3 10dobase-TX, SNMP, HTTP, TCP/IP (IPv4/IPv6) IEEE802.11 b/g/n WPAPSK (TKIP/AES) WPA2-PSK (IIIK BOLLIE SIZE	Bundle Starter Ink	70 ml x 4 (BK / C / M / Y)
Print Solutions Canon PRINT Inkjet/SELPHY (IOS/Android), Canon Print Service (Android), Free Layout Plus, PosterArits Web, Direct Print Plus, Pits Web, Pits Poster & 14 (49 mb) Network Standard Hi-Speed USB, Full Speed (12 Mbit/sec), Hi-Speed (480 Mbit/sec), Bulk Transfer, Series & 14 (4 pins) IEEE 802.3 10base-TI, IEEE 802.3 100base-TIX, SNMP, HTTP, TCP/IP (IPv4/IPv6) IEEE802.11 b/g/n WPA-PSK (TKIP/AES) WPA2-PSK (TKIP/AES) WPA3-SAE (AES) W	Ink Type		Pigment Ink
Print Solutions Canon Print Service (Android), Free Layout Plus, PosterArtist Web, Direct Print Plus, PIXUS/PIXMA Cloud Link Management Solutions Media Configuration Tool, Quick Utility Toolbox, Wi-Fi Connection Assistant, Printer Update Utility Wireless LAN Network IEEE 802.3 10base-T, IEEE 802.3 10base-TX, SNMP, HTTP, TCP/IP (IPV-4/IPV-6) IEEE802.11 b/g/n WPA-PSK (TKIP/AES) WPA2-PSK (TKIP/AES) WPA2-PSK (TKIP/AES) WPA2-PSK (TKIP/AES) WPA2-PSK (TKIP/AES) WPA3-EAP (AES)* WPA3-EAP (AES	Print Languages		SG Raster
Standard Hi-Speed USB, Full Speed (12 Mbit/Sec), Hi-Speed (480 Mbit/Sec), Bulk Transfer, Series B (4 pin)	Print Solutions		Canon Print Service (Android), Free Layout Plus, PosterArtist Web,
Network	Management Solutions		
Interface (Built-In) Wireless LAN Wireless		Standard	
Wireless LAN Wireless LAP (AES)* Wireless LAN Wireless LAN Wireless LAN Wireless LAP (AES)* Wireless LAN Wireless LAN Wireless LAN Wireless LAN Wireless LAP (AES)* Wireless LAN Wireless LAN Wireless LAN Wireless LAN Wireless LAP (AES)* Wireless LAN Wireless LA		Network	
Display CD (2.7 inch/6.7 cm) (Touch Screen, Color)	Interface (Built-In)	Wireless LAN	WPA-PSK (TKIP/ĀES) WPA2-PSK (TKIP/AES) WPA3-SAE (AES) WPA-EAP (AES)* WPA2-EAP (AES)* WPA3-EAP (AES)*
Please visit https://asia.canon to confirm OS compatibility and to download the latest drivers. PRINT SPEED'2 A1 SIZE Plain Paper CAD Drawing 32 sec (Draft) (Monochrome) MEDIA HANDLING Media Width Roll Paper 297 - 610 mm (A3 width to 24") Cut Sheet 210 - 297 mm (A3, A4, Letter) Media Thickness Roll Paper/Cut Sheet 210 - 297 mm Media Width Cut Sheet 210 - 297 mm Media Width Cut Sheet 210 - 297 mm Media Length Cut Sheet 210 - 297 mm Media Core Size 210 mm - 4 m Media Core Size 210 mm or less Media Feed Roll Paper 10 mm or less Media Feed Cut Sheet 310 mm or less Media Feed Cut Sheet 310 mm or less Media Feed 70 mm or less 70 mm, Left: 5 mm, Right: 5 mm Margins (Top, Bottom, Side) Printable Area (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Left: 5 mm, Right: 5 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm Printable Area (Roll Paper) Roltom: 5 mm, Left: 5 mm, Right: 5 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm Printable Area (Roll Paper) Roltom: 5 mm, Left: 5 mm, Right: 5 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm	Memory		1 GB
Al SIZE PRINT SPEED'2 Plain Paper CAD Drawing Roll Paper Cut Sheet Printable Media Width Printable Media Core Size Outside Diameter Roll Paper Cut Sheet Roll Paper Cut Sheet C	Display		LCD (2.7 inch/6.7 cm) (Touch Screen, Color)
Plain Paper	OS Compatibility	asia.canon to confirm OS compatibility and to	Windows, Macintosh
MEDIA HANDLING Media Width Roll Paper 297 - 610 mm (A3 width to 24*) Cut Sheet 210 - 297 mm (A3, A4, Letter) Media Thickness Roll Paper/Cut Sheet 0.08 - 0.28 mm Printable Media Width Roll Paper 297 - 610 mm Printable Media Length Roll Paper 203.2 mm - 4 m Media Core Size 2 inch core Outside Diameter Roll Paper 110 mm or less Media Feed Roll Paper 1 Roll Media Feed Automatic Switch Function (ASF) Face-up, Front side Face-up, Front side Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Margins (Top, Bottom, Side) Printable Area (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Margins (Roll Paper) Printable Area (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Printable Area (Roll Paper Borderless) Not applicable Printable Area Top: 5 mm Rettom: 5 mm Left: 5 mm Right: 5 mm	PRINT SPEED*2		A1 SIZE
Roll Paper 297 - 610 mm (A3 width to 24*)	Plain Paper	CAD Drawing	32 sec (Draft) (Monochrome)
Media Width	MEDIA HANDLI	NG	
Cut Sheet 210 - 297 mm (A3, A4, Letter)		Roll Paper	297 - 610 mm (A3 width to 24")
Printable Roll Paper 297 - 610 mm	Media Width	Cut Sheet	210 - 297 mm (A3, A4, Letter)
Media Width	Media Thickness	Roll Paper/Cut Sheet	0.08 - 0.28 mm
Printable Roll Paper 203.2 mm - 4 m	Printable	Roll Paper	297 - 610 mm
Media Length	Media Width	Cut Sheet	210 - 297 mm
Media Core Size	Printable	D !! D	
Recommended Area (Cut Sheet) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Roll Paper) Printable Area (Roll Paper Borderless) Roll Paper Borderless Roll Paper Roll Paper Borderless R		Roll Paper	203.2 mm - 4 m
Roll Paper	Media Length		
Cut Sheet Automatic Switch Function (ASF)			203.2 - 432 mm
Cut Sheet Automatic Switch Function (ASF)	Media Length Media Core Size	Cut Sheet	203.2 - 432 mm 2 inch core
Recommended Area (Roll Paper) Recommended Area (Cut Sheet) Printable Area (Roll Paper) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Not applicable Printable Area (Roll Paper Borderless) Printable Area (Roll Paper Borderless) Printable Area (Roll Paper Borderless)	Media Length Media Core Size Outside Diameter Ro	Cut Sheet	203.2 - 432 mm 2 inch core 110 mm or less
(Roll Paper) Recommended Area (Cut Sheet) Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm (Top, Bottom, Side) Printable Area (Roll Paper) Printable Area (Roll Paper Borderless) Rot applicable	Media Length Media Core Size	Cut Sheet Oll Paper Roll Paper	203.2 - 432 mm 2 inch core 110 mm or less 1 Roll
Margins (Top, Bottom, Side) Printable Area (Roll Paper) Printable Area (Roll Paper Borderless)	Media Length Media Core Size Outside Diameter Ro	Cut Sheet Oll Paper Roll Paper	203.2 - 432 mm 2 inch core 110 mm or less 1 Roll Automatic Switch Function (ASF)
(Top, Bottom, Side) (Roll Paper) *Some photo modes - Top: 30 mm, Bottom: 30 mm Printable Area (Roll Paper Borderless) Printable Area Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm	Media Core Size Outside Diameter Ro Media Feed	Cut Sheet Sill Paper Roll Paper Cut Sheet Recommended Area	203.2 - 432 mm 2 inch core 110 mm or less 1 Roll Automatic Switch Function (ASF) Face-up, Front side Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm
(Roll Paper Borderless) Printable Area Top: 5 mm Bottom: 5 mm Left: 5 mm Right: 5 mm Right	Media Core Size Outside Diameter Ro Media Feed	Cut Sheet Il Paper Roll Paper Cut Sheet Recommended Area (Roll Paper) Recommended Area	203.2 - 432 mm 2 inch core 110 mm or less 1 Roll Automatic Switch Function (ASF) Face-up, Front side Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm
	Media Length Media Core Size Outside Diameter Ro Media Feed	Cut Sheet Roll Paper Cut Sheet	203.2 - 432 mm 2 inch core 110 mm or less 1 Roll Automatic Switch Function (ASF) Face-up, Front side Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm *Some photo modes - Top: 30 mm, Bottom: 30 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm
	Media Length Media Core Size Outside Diameter Ro Media Feed Delivery Direction Margins	Cut Sheet Roll Paper Cut Sheet Recommended Area (Roll Paper) Recommended Area (Cut Sheet) Printable Area (Roll Paper) Printable Area	203.2 - 432 mm 2 inch core 110 mm or less 1 Roll Automatic Switch Function (ASF) Face-up, Front side Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm "Some photo modes - Top: 30 mm, Bottom: 30 mm Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm "Some photo modes - Top: 30 mm, Bottom: 30 mm

DIMENSIONS (W x D x H) & WEIGHT'3				
Packaged Dimensions	Printer	1120 x 726 x 406 mm Weight: 43 kg		
	Stand + Basket (SD-24) (W x D x H)	1055 x 824 x 268 mm Weight: 16 kg		
	Desktop Basket (BU-06) (W x D x H)	798 x 301 x 111 mm Weight: 1.8 kg		
Printer	Printer	968 x 545 x 395 mm (Auto Sheet Feeder Opened) 968 x 525 x 245 mm (Auto Sheet Feeder Closed) Weight: 32 kg (including print head, excluding ink)		
	With Stand + Basket (SD-24) (W x D x H)	968 x 870 x 874 mm (Basket Opened) 968 x 707 x 874 mm (Basket Closed) Weight: 40 kg (including print head, excluding ink)		
	With Desktop Basket (BU-06) (W x D x H)	968 x 825 x 965° mm (Basket Opened) 968 x 595 x 965° mm (Basket Closed) Weight: 33 kg (including print head, excluding ink)		
POWER & OPERATING REQUIREMENTS				
Power Supply (Printer)		AC 100 - 240 V (50 - 60 Hz)		
Power	Operation	Operation: < 28 W, Sleep Mode: < 1.8 W		
Consumption (Printer)	Sleep Mode	< 2.4 W		
	Power OFF	< 0.3 W		
Recommended Environment	Temperature	15 - 30 °C		
	Humidity	10 - 80% RH (no dew condensation)		
Acoustics	Power*4	Approx. 6.0 Bels		
Acoustics	Pressure'4	Approx. 42.5 dB(A), Standby 35 dB(A) or less		
OPTIONAL ACCESSORIES				
Roll Unit		-		
2/3" Roll Holder		-		
Printer Stand + Basket		SD-24		
Desktop Basket		BU-06		
CONSUMABLE	S			
Ink Bottle		PFI-050 (70 ml)		
Print Head		PF-08		
Cutter Blade		Not applicable		
Maintenance Cartridge		MC-32		









Printer Stand + Basket

Desktop Basket

Specifications are subject to change without notice.

- 1 User adjustments required. Printing environment and media must match those used for the adjustments. Paper required: Plain paper and coated paper only.
- ² Time taken to print one page does not include time required for data processing, data transfer and pre-printing operations.
- *3 Includes roll holder set.
- Acoustic Power and Pressure are measured using ISO 7779 standard.
- '5 Height above which desktop basket's cloth does not touch the floor when opening the desktop basket.



SOUTH AND SOUTHEAST ASIA REGIONAL HEADQUARTERS CANON SINGAPORE PTE. LTD.

1 Fusionopolis Place, #14-10 Galaxis, Singapore 138522 Tel: 65-6799-8888 | Fax: 65-6799-8882 | https://asia.canon

DEALER'S STAMP

This document is for information purposes only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.