imageCLASS LBP722Cx



NEW LIFE

IN EVERY COLOUR BUSINESS PRINTOUTS



UP TO **38** PPM (A4)

FAST PRINT SPEED 5.3 6.3 SEC (MONO) (COLOUR)

MONO) (COLOUR)

FIRST PRINTOUT

TIME (FPOT)

13,400 10,400

PAGES

HIGH-YIELD CARTRIDGES



WIRELESS CONNECTION

EXPRESS YOUR IDEAS IN COLOUR

Make an impression with vivid and vibrant colour printouts from the new imageCLASS LBP722Cx. This is the print powerhouse for the most demanding print jobs, with its high-yield toner cartridges and option to add (up to) three paper cassettes. With its comprehensive connectivity features and robust print security, print brilliant, professional-looking business documents quickly and confidently.



SCALABLE PRINT PERFORMANCE FOR EVERY BUSINESS

FAST, ON-DEMAND COLOUR PRINTING



Canon's proprietary On-Demand Fixing technology enables the printer to deliver the first page in 5.3s for black-and-white documents or 6.3s for colour documents.

HEAVY - DUTYTONER CARTRIDGES



High yield toner cartridges are available to help reduce frequency of toner replacements and operating costs.

EXPANDABLE PAPER CAPACITY



Maximise paper input capacity to a hefty 2,300 sheets with three (optional) 550-sheet paper cassettes.





ELEVATE PRINT CONVENIENCE



Quickly connect the imageCLASS LBP722Cx to your office network with built-in wired LAN support and wireless connectivity.

Enable Dual Network environment to share the printer across two different networks, allowing administrators to perform network segmentation without compromising on security.

PRINT FROM SMART DEVICES ANYWHERE



Easily print from your smartphones or tablets with Canon PRINT Business app or other compatible mobile apps such as Canon Print Service, Apple® Airprint™, MOPRIA®.

When wireless router is not available, simply connect your smart devices to the machine's access point to print conveniently.

PROTECT AGAINST SECURITY VULNERABILITY



SAFEGUARD AGAINST TAMPERING

The latest security protocol, TLS 1.3, encrypts communication data and protects against sniffing, spoofing and tampering.



MONITOR SYSTEM INTEGRITY

Prevent unauthorised system modification with Verify System at Startup and McAfee Embedded Control. Integrity of device firmware and applications will be checked during startup and runtime.



ENCRYPTED SECURE PRINTING

Protect confidential information from falling into the wrong hands with Secure Print. Encrypted documents will be released for printing after entering user-specific password at the printer.



USER MANAGEMENT & PRINT ACCOUNTING



USER AUTHENTICATION

User Management feature grants authorised users permission to access and send print jobs to the machine.



uniFLOW ONLINE EXPRESS

uniFLOW Online Express facilitates print accounting by tracking print volumes.*

*Upgrade to uniFLOW Online to enjoy full suite of features.



SUSTAINABLE PRINT SOLUTIONS

REDUCE PAPER CONSUMPTION

Minimise paper consumption with the Page Layout feature to print multiple pages onto a single sheet. Further reduce paper usage by utilising this feature together with auto duplex printing.

Reduce wastage from uncollected printouts at the machine. Forced Hold Print keeps print data in the machine temporarily until simple verification is performed at the printer.

POWER SAVING

Reduce energy consumption to as low as 1.1W during inactivity. Auto Shutdown mode powers off your printer after a preset period of time.

SPECIFICATION

PRINT			
Printing Method		Colour Laser Beam Printing	
Print Speed	Α4	38 / 38 ppm (Mono / Colour)	
	Letter	40 / 40 ppm (Mono / Colour)	
	A5	59 / 59 ppm (Mono / Colour)	
	2-sided	38 / 38 ipm (Mono / Colour)	
Print Resolution		600 x 600dpi	
Print Quality with Image Refinement Technology		1200 dpi x 1200 dpi (equivalent) 9600 dpi (equivalent) x 600 dpi	
Gradation levels		256	
Warm up Time (From Power On)		50 sec or less	
First Printout Time (FPOT)	Α4	Approx. 5.3 / 6.3 sec (Mono / Colour)	
Recovery Time (From Sleep Mode)		6.0 sec or less	
Print Language		UFR II, PCL 6, Adobe PostScript 3™	
Auto Duplex Print		Standard	
Print Margins		5mm - top, bottom, left and right (Envelope: 10mm)	
USB Direct Print (via USB Host)		Supported	
Supported File Format for USB Direct Print		JPEG, TIFF, PDF, XPS	
PAPER HANDLING			
	Standard Cassette	550 sheets	
Paper Input (Based on 80g/m²)	Multi-Purpose Tray	100 sheets	
	Optional Paper Feeder	550 sheets (x3)	
Maximum Paper Input Capacity		2,300 sheets	
Paper Output (Based on 80g/m²)		200 sheets	
Paper Sizes	Standard Cassette	A4, A5, A6, B5, Letter, Statement, Executive, Government Letter Custom (Min. 101.6 x 148.0 mm to Max. 216.0 x 297.0 mm)	
	Multi-Purpose Tray	A4, A5, A6, B5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 127.0 mm to Max. 216.0 x 355.6 mm)	
	Optional Paper Feeder	A4, A5, A6, B5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 101.6 x 148.0 mm to Max. 216.0 x 355.6 mm)	
Available Paper Size for Auto Duplex Print		A4, A5, B5, Letter, Legal, Executive, Indian Legal, Foolscap	
Paper Types		Thin, Plain, Heavy, Recycled, Colour, Label, (Postcard, Envelope only for Multi-Purpose Tray)	
Paper Weight	Standard Cassette / Optional Paper Feeder	60 to 163 g/m²	
	Multi-Purpose Tray	60 to 216 g/m²	
CONNECTIVITY & SOFTWARE			
Standard Interfaces	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T	
	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS, Direct Connection)	
Network Protocol	Print	TCP/IP(LPD/Port9100/IPP/IPPS/FTP/WSD)	
	Management	SNMPv1, SNMPv3 (IPv4,IPv6)	

Network Security	Wired	IP/Mac address filtering, HTTPS, IPPS, SNMPv3, IEEE802.1x, IPSec, TLS 1.3, Dual Network Support	
	Wireless	Infrastructure Mode: WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA-EAP (AES), WPA2-EAP (AES) Access Point Mode: WPA2-PSK (AES) Wi-Fi Direct Mode: WPA2-PSK (AES)	
Other Features		Department ID, Force Hold Print, Secure Print	
Mobile Solution		Canon PRINT Business, Canon Print Service, Apple® AirPrint®, Mopria® Print Service, Microsoft Universal Print	
Compatible Operating Systems		Windows® 10, Windows® 8.1, Windows Server® 2019, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Mac® OS X 10.11 or later ^(*1) , Linux ^(*1)	
GENERAL			
Device Memory		2 GB	
Storage		eMMC: 15 GB	
Display		5-line LCD with vari-angle	
Dimensions (W x D x H)		458.0 x 464.0 x 388.0 mm 458.0 x 464.0 x 443.0 mm (with LCD panel tilted)	
Weight		25.0 kg (main body only) 29.0 kg (main body + toner cartridges)	
Power Consumption	Maximum	1,500 W	
	Average (During Operation)	Approx. 729 W	
	Average (During Standby)	Approx. 34.4 W	
	Average (During Sleep)	Approx. 1.1 W (USB/ LAN / Wi-Fi)	
Noise Levels (*2)	Sound Power	Active: 68 dB Standby: 48 dB	
	Sound Pressure	Active: 52 dB Standby: 33 dB	
Operating Environment	Temperature	10 - 30°C	
	Humidity	20% - 80% RH (no condensation)	
Power Requirements		AC 220 - 240 V (+/-10%), 50/60 Hz (+/-2 Hz)	
Toner Cartridge (*3)	Standard	Cartridge 064 Black: 6,000 pages (bundled: 6,000 pages) Cartridge 064 Cyan, Magenta, Yellow: 5,000 pages (bundled: 3,200 pages)	
	High	Cartridge 064H Black: 13,400 pages Cartridge 064H Cyan, Magenta, Yellow: 10,400 pages	
Monthly Duty Cycle (*4)		80,000 pages	
OPTIONAL ACCESSORIES			
Paper Feeder		Cassette Feeding Unit-AV1(550 sheets cassette pedestal) Paper Feeder PF-D1(550 sheets)	
Waste Toner		WT- B1(54,000 pages)	
Barcode Printing		Barcode Printing Kit-D1 E EU	

- *1 The latest drivers for Mac OS and Linux can be downloaded from the https://asia.canon website when available.
- *2 Tested in accordance to ISO 7779 and declared per ISO 9296.
- *3 Toner cartridge yield is in accordance with ISO/IEC 19798.
 *4 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser printer devices, and does not refer to actual maximum image output per month.

Canon

Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd. 1 Fusionopolis Place, Singapore 138522

Tel: 65-6799 8888 Fax: 65-6799 8882

https://asia.canon

CANON OFFICES

HONG KONG Canon Hongkong Co., Ltd. Tel: 852-3191-2333 https://hk.canon

INDIA Canon India Pvt Ltd. Tel : 1860-180-3366 https://in.canon

MALAYSIA Canon Marketing (Malaysia) Sdn. Bhd.
Tel : 1800-18-2000
https://my.canon PHILIPPINES
Canon Marketing (Philippines), Inc.
Tel : 632-8884-9090 https://ph.canon

SINGAPORE Canon Singapore Pte. Ltd Tel : 65-6799-8888 https://sg.canon

Canon Marketing (Thailand) Co. Ltd Tel : 662-344-9999 https://th.canon

CANON BUSINESS PARTNERS

AFGHANISTAN Megaplus Afghanistan Ltd. Tel : 93-700-228-832 Email: info@megaplus.com.af

BANGLADESH J.A.N. Associates Ltd. Tel:: 880-2 9660 601 www.jan-bd.com

RRUNFI Interhouse Company
Tel : 673-2-653-001
www.ihc.com.bn

CAMBODIA i-Qlick Marketing Co., Ltd. Tel : 855-23-996638 www.i-qlick.com

INDONESIA PT Samafitro Tel : 62-21 2949 5500 www.samafitro.co.id

MYANMAR Myanmar Golden Rock International Co., Ltd Tel: 95-1 654810 to 19 (10 lines) www.mgr.com.mm

MONGOLIA ITZone LLC Tel : 976-7731-2424 www.itzone.mn

MALDIVES SIMDI Company (Pvt) Ltd. Tel : 960-333 4421 www.simdi.com

NEPAL International Electronics Concern (P) Ltd Tel : 977-1-442 1991 www.iec.com.np

PAKISTAN Megaplus Pakistan Tel : 92-111 00 3355 www.megaplus.com.pk

Shirazi Trading Company (Pvt.) Limited Tel : (92-21) 38704830-41 www.stc.atlas.pk

SRI LANKA Metropolitan Technologies (Pvt) Ltd. Tel : 94-11-470 0200 www.metropolitan.lk

VIETNAM Le Bao Minh Joint Stock Company
Tel : 1900558809
www.lbm.vn

Dealer's Stamp

0225W669 @ 2021 Canon Singapore Pte.Ltd. All rights reserved.

This document is for general information only and contents are subject to change without notice. Errors and omissions excepted. Weights and dimensions are approximates. Options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations in connection with this document. Trademarks belong to their respective owners.