

Safety Data Sheet

Issuing date : 16-Jul-2015 Revision date : - SDS #: TCW 0744 N - 01 GL EN Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Product Code(s) 8531B001

Use

Toner for electrophotographic machines

Details of the supplier of the safety data sheet

Supplier

Canon Australia Pty Ltd Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia Email : qse@canon.com.au Phone number : (61) 2-9805-2000 Emergency phone number : 13 11 26 (Within Australia)

Canon New Zealand Limited 28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand Email : qse@canon.com.au Phone number : (64) 996-9300 Emergency phone number : 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd. 1 HarbourFront Avenue, #04-01 Keppel Bay Tower, Singapore 098632 Phone number : (65) 6799-8888

Canon India Pvt. Ltd. 7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India Phone number : (91) 124-416-0000 Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd 2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Manufacturer

Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

Classification according to EU Directives 67/548/EEC or 1999/45/EC Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008 Not required

Hazard pictograms Not required

Signal word Not required

Hazard statements Not required

Precautionary Statements - EU (§28, 1272/2008) Not required

Other Information None

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (67/548)	Indication of danger	Classification (Reg. 1272/2008)
Polyester resin	CBI	CBI	70 - 80	None	None	None
Styrene acrylate copolymer	CBI	CBI	5 - 10	None	None	None
Pigment	CBI	CBI	5 - 10	None	None	None
Wax	CBI	CBI	3 - 10	None	None	None
Amorphous silica	7631-86-9	231-545-4	1 - 5	None	None	None
Titanium dioxide	13463-67-7	236-675-5	< 1	None	None	None

SECTION 4: First aid measures

Description of first aid measures

Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.		
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.		
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.		
Eye Contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.		
Most important symptoms and effects, both acute and delayed			
Inhalation	None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.		
Ingestion	None under normal use.		
Skin Contact	None under normal use.		
Eye Contact	None under normal use. May cause slight irritation.		

Chronic Effects

None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung damage.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use CO2, dry chemical, or foam, Water.

Unsuitable extinguishing media None

Special hazards arising from the substance or mixture

Special Hazard May form explosive mixtures with air.

Hazardous combustion products Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Amorphous silica 7631-86-9	None	TWA: 2 mg/m ³ respirable dust	TWA: 20 mppcf : (80)/(% SiO2) mg/m ³ TWA	None
Titanium dioxide 13463-67-7	None	TWA: 10 mg/m ³ inhalable dust	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face ProtectionNot required under normal use.Skin ProtectionNot required under normal use.Respiratory ProtectionNot required under normal use.Thermal hazardsNot Applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Odor **Odor threshold** pН Melting/Freezing point (°C) Boiling Point/Range (°C) Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor Density **Relative density** Solubilitv(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) **Explosive properties Oxidizing properties**

Magenta ; powder Slight odor No data available Not Applicable 85-120 (Softening point) Not Applicable Not Applicable Not Applicable Not flammable; estimated

Not Applicable Not Applicable Not Applicable Not Applicable 1.0-1.5 Organic solvent; partly soluble Not Applicable No data available > 200 Not Applicable May form explosive mixtures with air No data available

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

Information on toxicological effects

Skin corrosion/irritationEstimate: Mild irritantSerious eye damage/eye irritatioEstimate: Transient slight conjunctival irritation only.SensitizationEstimate: Non-sensitizingGern cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide ale levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - repeated exposureMulle et al. reported pulmonary response upon chronic inhalation exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data availableOther InformationNo data available	Acute toxicity	Estimate: LD50 > 2000 mg/kg (Ingestion)	
SensitizationEstimate: Non-sensitizingGerm cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure. A minimal to mild degree of fibrosis was observed in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 4 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Skin corrosion/irritation	Estimate: Mild irritant	
Germ cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was observed in 92% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Serious eye damage/eye irritation	Estimate: Transient slight conjunctival irritation only.	
CarcinogenicityThe IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary charge was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Sensitization	Estimate: Non-sensitizing	
inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Germ cell mutagenicity	Ames Test (S. typhimurium, E. coli): Negative	
STOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Carcinogenicity	inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which	
STOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Reproductive Toxicity	No data available	
toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	STOT - single exposure	No data available	
	STOT - repeated exposure	toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive	
Other Information No data available			
	Aspiration hazard	No data available	

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects

Fish, 96h LC50 > 100 mg/l Crustaceans, 48h EC50 > 100 mg/l Algae, ErC50(0-72h) > 100 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

UN number	None
UN Proper Shipping Name	None
Transport Hazard Class	None
Packing Group	None
Environmental Hazards	No special environmental precautions required.
Special Precautions for users	None
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not Applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation (EC) No 1907/2006 Restriction (EC) No 1005/2009	Not regulated Not regulated Not regulated
(EC) No 1003/2009 (EC) No 850/2004	Not regulated
(EU) No 649/2012	Not regulated
Australia Information	Not classified as hazardous according to criteria of NOHSC:1008.
	Not classified as hazardous according to criteria of Work Health and Safety Regulations
	2011. Nara
Other Information	None

SECTION 16: Other information

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910

- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the

Carcinogenic Risk of Chemicals to Humans

- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- IARC: International Agency for Research on Cancer

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

- EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.

- TWA: Time Weighted Average

- STEL: Short Term Exposure Limit

- CBI: Confidential Business Information

Issuing date :	16-Jul-2015	
Revision date :	-	
Revision Note	None	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.