

Level up your game

COLORADO M-SERIES

Are you ready for the next level in productivity, creativity and profitability? With the Colorado M-series, you can say 'yes' to more jobs, create stunning applications and promise short turnaround times. It's field upgradeable to grow with your business, and designed for a low cost of ownership.



Canon

READY, SET, GO!

- + **The power of UVgel.** Our unique UVgel technology creates robust, light-fast and scratch-resistant prints with a superior print quality.
- + **White without worry.** Developed for the Colorado M-series, our UVgel ink set now brings you a next-level white ink: hassle-free and with spectacular results. With a brief service visit, you can even enjoy UVgel white.
- + **FLXfinish*.** A game-changer in large-format graphics. Print matte, gloss or mixed matte and gloss in one print, without varnish or an additional printhead.
- + **Impressive media range.** More design freedom to impress your customers. Easily print textured, transparent, coloured, reflective, magnetic and heat-sensitive media, plus many more!
- + **Upgradeable without service visits.** Is your business changing course or growing quickly? Easily add speed, FLXfinish*, magnetic media support and many other new functionalities to your Colorado M-series printer.
- + **Rock-solid quality.** The Colorado family is built to last, for high uptime and consistent print output. Reliable from print to print and from year to year.
- + **Level up your Colorado into a Factory.** Add a jumbo roll bulk feed system and perfectly matching finishing modules for a high throughput and overnight jobs.
- + **Designed with sustainability in mind.** Reduced ink usage, reduced energy usage, low emissions – reduce your costs and your environmental footprint at the same time.



Colorado M-series

Technical specifications
metric



COLORADO
M3



COLORADO
M3W



COLORADO
M5



COLORADO
M5W



UVGEL
WALLPAPER
FACTORY



UVGEL
PRINT
FACTORY

PRINTING

Printing method	UVgel piezoelectric inkjet					
White	○	●	○	●	○	○
Printing modes: gloss	●		●			
High Key	111 m ² /hr		159 m ² /hr			
Express	78 m ² /hr		114 m ² /hr			
Speed	55 m ² /hr		80 m ² /hr			
Production	39 m ² /hr		57 m ² /hr			
High Quality	29 m ² /hr		40 m ² /hr			
Premium	22 m ² /hr		27 m ² /hr			
Specialty	19 m ² /hr		20 m ² /hr			
Printing modes: matte	○		○			
Express	36 m ² /hr		46 m ² /hr			
Speed	27 m ² /hr		38 m ² /hr			
Production	22 m ² /hr		31 m ² /hr			
High Quality	18 m ² /hr		27 m ² /hr			
Specialty	18 m ² /hr		20 m ² /hr			
Backlit	13 m ² /hr		20 m ² /hr			
Backlit Density	10 m ² /hr		10 m ² /hr			
Printing mode: mixed matte/gloss	○		○			
FLXfinish*	7 m ² /hr		7 m ² /hr			
Printing modes: spot white 1 layer						
Express	27 m ² /hr		36 m ² /hr			
Speed	22 m ² /hr		30 m ² /hr			
Production	18 m ² /hr		24 m ² /hr			
High Quality	13 m ² /hr		18 m ² /hr			
Specialty	9 m ² /hr		12 m ² /hr			
Printing modes: white underflood/overflood 2 layers						
Speed	20 m ² /hr		20 m ² /hr			
Production	14 m ² /hr		14 m ² /hr			
High Quality	10 m ² /hr		10 m ² /hr			
Specialty	7 m ² /hr		7 m ² /hr			
Printing modes: white 3 layers						
High Quality	7 m ² /hr		7 m ² /hr			
Specialty	5 m ² /hr		5 m ² /hr			
Printing modes: white 5 layers						
High Quality	4 m ² /hr		4 m ² /hr			
Specialty	3 m ² /hr		3 m ² /hr			
Print resolution	Up to 1.800 dpi					
Ink types	Canon UVgel 460 ink					
Ink color	CMYK	CMYKW	CMYK	CMYKW	CMYK or CMYKW	CMYK or CMYKW
Ink packaging						
1 x 0.7 litre ink bottle	●		●			
2 x 1 litre ink bottle	-		●			
Ink reservoir per ink color	1,8 litre		2,1 litre			
Refill while printing			●			

● Standard ○ Optional - Not available



COLORADO
M3



COLORADO
M3W



COLORADO
M5



COLORADO
M5W



UVGEL
WALLPAPER
FACTORY



UVGEL
PRINT
FACTORY

	COLORADO M3	COLORADO M3W	COLORADO M5	COLORADO M5W	UVGEL WALLPAPER FACTORY	UVGEL PRINT FACTORY
Printhead						
UVgel 425	4	5	4	5	4 or 5	4 or 5
High frequency drop-on-demand piezo-electric printhead				●		
PAINT (Piezo Acoustic Integrated Nozzle Technology)				●		
Automatic maintenance				●		
Curing				UV LED		
MEDIA						
Roll width				Up to 1.625 mm		
Print margin				5,3 mm*		
Roll weight				Up to 50 kg		
Roll diameter				Up to 220 mm		
Media thickness				Up to 0,8 mm		
Media input						
Print side out				●		
Print side in/Double-sided printing				○		
1 roll				●		
2 rolls (automatic roll-feeding and -switching depending on media)				○		
Magnetic media kit				○		
Jumbo roll interface	-	-	○	○	●	●
UVgel Technology						
Instant pinning and dot gain control				●		
Low temperature curing - suitable for thin and heat-sensitive media				●		
Outstanding scratch resistance				●		
Easy lamination, smooth ink film				●		
High precision colour-matching and consistency				●		
Odourless and instant dry printout				●		
FLXfinish*				○		
CERTIFICATIONS						
Environmental and safe use	Indoor AgBB, GREENGUARD Gold, CE EN 15102 (decorative wall coverings) ASTM F793 Type II, M1, B-s1d0, Émissions dans l'air intérieur A+					
Media	3M™ MCS™ Warranty/Avery Dennison ICS Performance Guarantee					
INTERFACE	Ethernet (100/1.000 Mbit/s)					
DIMENSIONS						
Printer W x D x H	3.020 x 1.095 x 1.300 mm					
WEIGHT						
Printer	750 kg					
WORKING ENVIRONMENT						
Operation printer	18 - 30°C (recommended 20 - 27°C)					
	20 - 80% RH (no condensation)					
POWER						
Off	0 W					
Standby	250 W					
Ready	1.350 W					
Printing	2.000 W					

* Margin 11.0 mm when Media Step Control enabled - Specifications subject to change without notice.

● Standard ○ Optional - Not available



COLORADO
M3



COLORADO
M3W



COLORADO
M5



COLORADO
M5W



UVGEL
WALLPAPER
FACTORY



UVGEL
PRINT
FACTORY

Consumption	2 inputs, each 200-240V +/- 10%, 50/60 Hz, 16/6 A.
Source	Printer is declared under Radio Equipment Directive (RED)- 2014/53/EU

REGULATORY CERTIFICATION

Declaration of conformity	Compliant with EN62479, EN301 489-1, EN301 489-3, EN300-330 FCC Part 15 and RSS-210 certified (module)
Radio	IEC/EN/UL/CSA 62368-1 compliant Applicable marks: CE, TÜV-GS, C-UL-US, RCM
Safety	Emission: Class A compliant according CISPR 32, FCC part 15 and ICES-003 Immunity: CISPR 35 compliant Applicable marks: CE, FCC, IC, VCCI, RCM, CETECOM

EMC

Environmental	WEEE, RoHS directive 2011/65/EU, REACH, CE
---------------	--

SOFTWARE

Factory supported RIPs	ONYX Graphics, Caldera
Supported RIPs	EFI, PrintFactory, ColorGATE, ErgoSoft, Shiraz, AGFA, SAI
API	Colorado API for 3rd party vendors
PRISMAguide XL	○
PRISMA remote app	●
PRISMAservice	●

EXTERNAL MODULES

Jumbo Roll Loader	-	-	-	-	●	●
X/Y Cutter	-	-	-	-	●	-
Rewinder	-	-	-	-	○	-
Jumbo Roll Rewinder	-	-	-	-	-	●

WARRANTY PACKAGES¹

Standard Warranty	
Printer: 2 years or 20.000 m ² , whichever comes first	●
Printhead: 2 years or 20.000 m ² , whichever comes first	●
Extended Warranty	
3-year parts coverage	○
4-year parts coverage	○
5-year parts coverage	○

SERVICE PACKAGES¹

Time & Material	
proCARE	
3-year full service	○
4-year full service	○
5-year full service	○
proCARE+	
3-year full service incl. printheads ²	○
4-year full service incl. printheads ²	○
5-year full service incl. printheads ²	○

¹ Please be aware that there might be regional distinctions in Warranty and Service Packages.

² Includes accidental damage coverage, allowed carry over up to two replacements in the next year.

● Standard ○ Optional - Not available

No part of this publication may be copied, modified, reproduced or transmitted in any form or by any means, electronic, manual, or otherwise, without the prior written permission of Canon Production Printing. Illustrations and printer output images are simulated and do not necessarily apply to products and services offered in each local market. The content of this publication should neither be construed as any guarantee or warranty with regard to specific properties or specifications nor of technical performance or suitability for particular applications. The content of this publication may be subject to changes from time to time without notice. Canon Production Printing shall not be liable for any direct, indirect or consequential damages of any nature, or losses or expenses resulting from the use of the contents of this publication.

© 2023 Canon Production Printing

Canon is a registered trademark of Canon Inc.

Colorado is a registered trademark of Canon Production Printing Netherlands B.V.

The Canon logo, consisting of the word "Canon" in a bold, red, sans-serif font.