

Safety Data Sheet

Issuing date : 17-Apr-2018 Revision date : - SDS #: ICW 2028 N - 01 GL EN Version : 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Product name Canon Ink Tank PFI-8120 BK

Product Code(s)

Use

Ink for Ink Jet Printer

2895C

Details of the supplier of the safety data sheet

Supplier

Canon Singapore Pte. Ltd. 1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522 Email : cspl_msds@canon.com.sg Phone number : (65) 6799-8888

Canon India Pvt. Ltd. 7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India Phone number : (91) 124-416-0000 Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd 2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email : webmaster@canon-bs.co.kr Phone number : (82) 1588-2500

Manufacturer

Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Not required

Signal word Not required

Hazard statements Not required

Precautionary statements Not required

Other Information

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains less than 30% of components with unknown hazards to the aquatic environment.

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

<u>Mixtures</u>

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Glycerin	56-81-5	200-289-5	5 - 10	None	
Lactam	CBI	CBI	5 - 10	Eye Irrit. 2 (H319)	
Glycol	CBI	CBI	5 - 10	None	
Carbon black	1333-86-4	215-609-9	5 - 10	None	
Water	7732-18-5	231-791-2	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)

- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures			
Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.		
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.		
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.		
Eye Contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.		
Most important symptoms and effects, both acute and delayed			
Inhalation	None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.		
Ingestion	None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
Skin Contact	None under normal use.		
Eye Contact	None under normal use. May cause slight irritation.		
Chronic Effects	None under normal use.		
Indication of any immediate medica	al attention and special treatment needed		
None			

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media None

Special hazards arising from the substance or mixture

Special Hazard None

Hazardous combustion products Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Glycerin 56-81-5	None	TWA: 10 mg/m ³ inhalable dust, mist	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction	None
Carbon black 1333-86-4	None	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³ inhalable fraction

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face Protection	
Skin Protection	
Respiratory Protection	
Thermal hazards	

Not required under normal use. Not required under normal use. Not required under normal use. Not Applicable

SECTION 9: Physical and chemical properties

8 - 9

Black ; Liquid Slight odor No data available

No data available No data available

> 93.0°C (Tag. Closed Cup.); estimated

Information on basic physical and chemical properties

Odor Odor threshold pH Melting/Freezing point (°C) Boiling Point/Range (°C) Flash Point (°C) Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Appearance
pH Melting/Freezing point (°C) Boiling Point/Range (°C) Flash Point (°C) Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Odor
Melting/Freezing point (°C) Boiling Point/Range (°C) Flash Point (°C) Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Odor threshold
Boiling Point/Range (°C) Flash Point (°C) Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	рН
Flash Point (°C) Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Melting/Freezing point (°C)
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Boiling Point/Range (°C)
Flammability (solid, gas) Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Flash Point (°C)
Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Evaporation Rate
Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Flammability (solid, gas)
Lower Flammability Limit Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Flammability Limits in Air
Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Upper Flammability Limit
Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Lower Flammability Limit
Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	
Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	
Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Vapor pressure
Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Vapor pressure Vapor density
Decomposition Temperature (°C) Viscosity (mPa s) Explosive properties	Vapor pressure Vapor density Relative density
Viscosity (mPa s) Explosive properties	Vapor pressure Vapor density Relative density Solubility(ies)
Explosive properties	Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water
	Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C)
	Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C)
Oxidizing properties	Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s)

No data available Not Applicable None; estimated No data available No data available 1.0 - 1.1 Water; miscible No data available None; estimated No data available 1 - 5 None; estimated None; estimated

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity	No data available
Skin corrosion/irritation	Not classified based on the classification criteria under UN GHS (OECD Guideline)
Serious eye damage/eye irritation	Not classified based on the classification criteria under UN GHS (OECD Guideline)
Sensitization	Not classified based on the classification criteria under UN GHS (OECD Guideline)
Germ cell mutagenicity	Ames test: Negative
Carcinogenicity	The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.
Reproductive Toxicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration hazard	No data available
Other Information	No data available

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information		
<u>UN number</u>	None	
UN Proper Shipping Name	None	
Transport Hazard Class	None	
Packing Group	None	
Environmental Hazards	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.	
Special Precautions for users	IATA: Not regulated	
Transport in bulk according to Annex II of MARPOL and the IBC Code	Not Applicable	

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EC) No 850/2004	Not regulated
(EU) No 649/2012	Not regulated
Australia Information	Not classified as hazardous according to criteria of Work Health and Safety Regulations
Other Information	2011. None

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910

- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- SVHC: Substances of Very High Concern

- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date :	17-Apr-2018
Revision date :	-
Revision Note	None

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.