Page 1 of 7



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1461-0104 Product Code: 1659B / R84-9043

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

**Product Name:** Canon Cartridge 311 Cyan

**Product Code:** 1659B / R84-9043

**Manufacturer:** Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

**Supplier:** Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl\_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

#### **SECTION 2** COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) > CAS#/ Weight EU Symbol/ USA ACGIH TLV EU ILV DFG MAK Chemical Name / R-Phrase OSHA PEL EC# Generic Name Confidential 75-85 None/ None Not established Not established Styrene acrylate Not established Not established copolymer Wax Confidential 5-15 None/ None Not established Not established Not established Not established Pigment Confidential 1-5 None/ None Not established Not established Not established Not established 7631-86-9/ Not established Not established Amorphous silica 1-2 None/ None 20mppcf, $4 \text{ mg/m}^3$ 231-545-4 80(mg/m<sup>3</sup>)/%SiO<sub>2</sub> (Inhalable fraction)

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Cyan fine powder, slight plastic odor.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

#### **Ingestion:**

Low acute toxicity based on animal testing. Ingestion is a minor route of entry for intended use of this product.

### Eye:

May cause transient slight irritation.

# Skin:

May be non-irritant.

# **Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1461-0104 Product Code: 1659B / R84-9043

### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

#### Note to Physicians:

None

# SECTION 5 FIRE FIGHTING MEASURES

#### **Fire Fighting Measures:**

#### **Extinguishing Media:**

CO2, water, dry chemicals

#### **Unsuitable Extinguishing Media:**

None

#### **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

# Fire and Explosive Properties (See also Section 9):

#### **Hazardous Combustion Products:**

CO2, CO

#### **Other Properties:**

Not available

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions:**

Avoid breathing dust.

### **Environmental Precautions:**

Do not wash away into sewer.

#### **Method for Cleaning Up:**

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

# SECTION 7 HANDLING AND STORAGE

#### Handling:

Avoid breathing dust.

Use with adequate ventilation.

# Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

### **Specific Uses:**

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 7



# MATERIAL SAFETY DATA SHEET

MSDS #: TC1461-0104 Product Code: 1659B / R84-9043

SECTION 8 EXPOSU	RE CONTR	OLS / PERSONAL PROTECTION	
<b>Exposure Guidelines:</b>			
ACGIH TLV (TWA):	$0 \text{ mg/m}^3$ (Inh	al dust), 5 mg/m³ (Respirable fraction) alable fraction), 3 mg/m³ (Respirable fraction) alable fraction), 1.5 mg/m³ (Respirable fraction)	
Engineering Controls: Use adequate ventilation.			
<b>Personal Protection Equipme</b>	ent(s):		
Respiratory Protection:	☐ Required  Not Required	ired	
<b>Eye/Face Protection:</b>	☐ Required ☑ Not Required		
Skin Protection:	☐ Required  Not Required		
SECTION 9 PHYSICA	AL AND CH	EMICAL PROPERTIES	
Appearance:		Cyan fine powder	
Odor:		Slight plastic odor	
pH:		Not applicable	
Boiling Point/Range( $^{\circ}$ C):		Not applicable	
<b>Melting Point/Range(°C):</b>		100-150 (Softening point)	
Decomposition Temperature (°C):		> 200	
Flash Point(°C):		Not applicable	
Flammable (Explosive) Limits:		Not applicable	
<b>Autoignition Temperature(°C):</b>		Not available	
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))	
<b>Explosive Properties:</b>		Can form explosive dust-air mixtures when finely dispersed in air.	
Oxidizing Properties:		Not available	
Vapor Pressure:		Not applicable	
Vapor Density:		Not applicable	
Density / Specific Gravity:		1.0-1.2	
Water Solubility:		Negligible	
Fat Solubility:		Partially soluble in toluene and xylene.	
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$		Not applicable	
Percent Volatile:		Negligible	
<b>Evaporation Rate:</b>		Not applicable	
Viscosity (mPa s):		Not applicable	

Page 4 of 7



# MATERIAL SAFETY DATA SHEET

MSDS #: TC1461-0104 Product Code: 1659B / R84-9043

SECTION 10 STABILITY AND	REACTIVITY
Stability:	Stable     Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
<b>Hazardous Decomposition Products:</b>	CO, CO2
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation: Not available	
<b>Ingestion:</b> Rat, LD50 > 2000 mg/kg	
Eye: Rabbit, transient slight conjunctive	val irritation only.
Skin: Rabbit, non-irritant	
Sensitization: Not available	
Mutagenicity: Ames Test (S. typhimurium, E. c	oli): Negative
Reproductive Toxicity: Not available	
Carcinogenicity: Not available	
Others:	
respirable-sized particles compar most relevant to potential human	response upon chronic inhalation exposure in rats to a toner enriched in red to commercial toner. No pulmonary change was found at 1 mg/m³ which is exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These

findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

July 4, 2006 Date of Issue: Revised: Canon

Page 5 of 7 TC1461-0104

MSDS #: MATERIAL SAFETY DATA SHEET Product Code: 1659B / R84-9043

SECTION 12 E	COLOG	SICAL INFORMATION			
Mobility:		Not available			
Persistence / Degrad	lability:	Not available			
Bioaccumulation:		Not available			
Ecotoxicity:		Fish (Rainbow trout), 96h LL50 > 1000 mg/l (WAF) Crustaceans (Daphnia magna), 48h EL50 > 1000 mg/l (WAF) Algae (Scenedesmus subspicatus), EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF)			
Other Adverse Effec	ets:	Not available			
SECTION 13 D	ISPOSA	L CONSIDERATIONS			
container, unless of in air. Disposal sh	r or toner lust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner osion preventing measures are taken. Finely dispersed particles form explosive mixtures ubject to federal, state and local laws.			
		ORT INFORMATION			
UN #:	None				
UN Shipping Name:					
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%):  ☑ No				
Special Precautions:	None				
SECTION 15	REGULA	TORY INFORMATION			
< EU Information >					
Information on the					
Symbol & Indica	ation: No	ot required			
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Com Not required	ponent(s	):			
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:			
<b>Specific Provisions</b>	in Relati	ion to Protection of Man or the Environment:			
76/769/EEC:	Not regu	ılated			
(EC)2037/2000:	Not regu	rt regulated			
(EC)304/2003:	Not regu	regulated			
Others:	None				

Page 6 of 7



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1461-0104 Product Code: 1659B / R84-9043

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

**Hazard warning:** 

Not required

Safety Advice:

Not required

**Hazardous Component(s):** 

Not required

**SARA Title III §313:** 

Chemical Name Weight %

None

**California Proposition 65:** 

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

### SECTION 16 OTHER INFORMATION

None

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Page 7 of 7



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1461-0104 Product Code: 1659B / R84-9043

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

WAF: Water Accommodated Fraction

LL: Lethal Loading rate EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.